

INDEX MAPS.

T. 5 N., R. 6 E. 2nd Mer.

	425-427	425-427	425-427	426-427	426	426
429	6	449	5	452	4	452
	449	449	450	450	450	451
429	7	443	8	448	9	447
	444	445	445	446	446	446
429	18	444	17	444	16	443
	440	440-451	441	441	442	442
428	19	440	20	439	21	438
	439	436	436	436	437	437
428	30	435	29	435	28	434
	435	434	433	432	431	430
428	31	434	32	433	33	432
	421-423	421-423	421-422	421-422	421-422	421-422

T. 6 N., R. 6 E. 2nd Mer.

	461	461	461	460	460	459
464	6	487	5	485	4	484
	487	487	485	484-481	482	483
463	7	487	8	484	9	481
	486	486-478	478	478	479	479
463	18	486	17	477	16	477
	478	478	477	477	477	476
462	19	474	20	473	21	473
	470	470	471	471	471	472
462	30	470	29	469	28	468
	469	469	467	467	466	465
462	31	468	32	467	33	466
	455-457	455-457	455-457	455-456	455-456	456

Meadows 488

(P) The figures on the lines refer to the page.

Township N. 5 North, Range R. 6 East 2^o Mer. Indiana

Township Lines.

South Boundary.

Random Line.

East on the S. Boundary of Sec. 31

40.00 set temp. of sec. post

80.00 set a temp. post for cor. of sec. 31 & 32

Good farming land, timber Oaks, Hickory & Birch

East on the S. Boundary of Sec. 32

10.00 a Brook 250 ft. wide comes S

40.00 set temp. of sec. post

80.00 set a temp. post for cor. of sec. 32 & 33

Land the same as last noted

East on the S. Boundary of Sec. 33

40.00 set temp. of sec. post

80.00 set a temp. post for cor. of sec. 33 & 34

Land flat, timber Birch

East on the S. Boundary of Sec. 34

40.00 set temp. of sec. post

80.00 set a temp. post for cor. of sec. 34 & 35

Good farming land

East on the S. Boundary of Sec. 35

40.00 set temp. of sec. post

80.00 set a temp. post for cor. of sec. 35 & 36

Good farming land

East on the S. Boundary of Sec. 36

40.00 set temp. of sec. post

78.40 Intersect E. Boundary 90 ft. N. of Township cor.

Good farming land

T. 5 N., R. 6 E. Z. Mer. Ind.

Corrected Line.

Bearings to port cor. of T. 4 & 5 N., R. 6 & 7 E.
 a Beech 16 in. dia. bears S 18° W 45 m. dist. -8
 a Do 14 s s s N 63° E 31 s s

West on the S. Boundary of Sec. 36

40.00 set of sec. port from which
 a Beech 10 in. dia. bears S 81° E 15 m. dist. -8
 a Do 10 s s s S 87° W 14 m. s s
 80.00 set port cor. of sec. 35 & 36 from which
 a Beech 24 in. dia. bears N 54° E 27 m. dist. -8
 a Do 20 s s s N 59° W 9 s s

West on the S. Boundary of Sec. 35

40.00 set of sec. port from which
 a Beech 10 in. dia. bears S 89° W 12 m. dist. -8
 a Do 6 s s s N 60° E 27 s s
 80.00 set port cor. of sec. 34 & 35 from which
 an Elm 10 in. dia. bears S 81° E 17 m. dist. -8
 a Do 15 s s s S 35° W 38 s s

West on the S. Boundary of Sec. 34

40.00 set of sec. port from which
 a Gum 20 in. dia. bears N 55° E 11 m. dist. -8
 a W. Oak 29 s s s S 15° W 19 s s
 80.00 set port cor. of sec. 33 & 34 from which
 a Beech 10 in. dia. bears S 86° E 35 m. dist. -8
 a Do 10 s s s S 18° E 16 s s

West on the S. Boundary of Sec. 33

40.00 set of sec. port from which
 a Sweet Gum 5 in. dia. bears S 22° W 3 m. dist. -8
 an Elm 20 s s s N 41° W 22 s s
 80.00 set port cor. of sec. 32 & 33 from which

T. 5 N., R. 6 E. 2^o Mer. Ind.^a

a Beech 20 in. dia. bears N 14° E 27 lbs. dist. 8
an Ironwood 6 s s S 43° E 17 s s

West on the S. Boundary of Sec. 32

40.00 set q.s.e. post from which
a Beech 30 in. dia. bears N 65° E 18 lbs. dist. 8
a Do 10 s s S 61° E 21 s s
64.00 a Brook 250 ft. wide course S
80.00 set post cor. of sec. 31 & 32 from which
a Beech 10 in. dia. bears N 21° W 25 lbs. dist. 8
a Do 10 s s N 83° E 24 s s

West on the S. Boundary of Sec. 31

40.00 set q.s.e. post from which
a Beech 10 in. dia. bears S 87° E 47 lbs. dist. 8
a Do 40 s s S 14° W 16 s s
78.40 to post cor. of T. 4 R. 5 N, R. 5 & 6 E from which
a Beech 20 in. dia. bears S 36° W 6 lbs. dist. 8
a Do 20 s s S 36° E 16 s s

East Boundary.

North on the E. Boundary of Sec. 36

40.00 set q.s.e. post from which
a Beech 10 in. dia. bears N 34° W 8 lbs. dist. 8
a Do 6 s s S 24° E 16 s s
80.00 set post cor. of sec. 35 & 36 from which
a Beech 20 in. dia. bears N 42° E 9 lbs. dist. 8
a W. Oak 15 s s S 3 E 23 s s
This mile over flat Beech timbered land

North on the E. Boundary of Sec. 25

17.00 a Brook 10 ft. wide course NW
40.00 set q.s.e. post from which

424

S. 5 N., R. 6 E., Mer. Ind^a

an Elm 20 in. dia bears S 59° W 60° s. dist. 8
a Gum 6 " " " N 59° E 24 " "
80.00 set post cor. of sec. 24 & 25 from which
a Beech 10 in. dia bears N 32° W 14° s. dist. 18
a Do 8 " " " S 85° E 25 " "
Land the same as last noted

North on the E. Boundary of Sec. 24
6.50 a Brook 10 ft. wide course NW
40.00 set of sec. post from which
a Beech 15 in. dia bears S 83° E 6° s. dist. 8
a Hickory 12 " " " N 56° W 23 " "
80.00 set post cor. of sec. 13 & 24 from which
a Beech 12 in. dia bears S 70° E 22° s. dist. 8
a Gum 10 " " " N 41° W 15 " "
Land the same as last noted

North on the E. Boundary of Sec. 13
40.00 set of sec. post from which
a Beech 10 in. dia bears N 12° W 18° s. dist. 8
a Do 10 " " " S 34° E 12 " "
80.00 set post cor. of sec. 12 & 13 from which
a W. Ash 15 in. dia bears N 10° E 18° s. dist. 8
a Beech 10 " " " N 53° W 10 " "
Land the same as last noted, but bushy

North on the E. Boundary of Sec. 12
9.00 Bushy land
40.00 set of sec. post from which
a Beech 10 in. dia bears S 66° E 17° s. dist. 8
a W. Oak 20 " " " N 82° W 19 " "
80.00 set post cor. of sec. 11 & 12 from which
a Beech 10 in. dia bears S 25° W 5° s. dist. 8

T.5 N., R. 6 E., I^o Mer. Ind.^a

a Beech 8 in. diameter N 9 E 30 deg. dist.

Land of the same quality as last noted

North on the E. Boundary of Sec. 1

37.50 a Brook 200 ft. wide course SSW

40.00 set post. post from which

an Elm 10 in. diameter North 200 ft. dist. S

a Beech 6 s s s SSW 10 s s

80.00 set post cor. of T. 5 & 6 N, R. 6 & 7 E. from which

a Beech 36 in. diameter N 22 W 10 ft. - dist. S

a Do 18 s s s S 31 E 42 s s

(Description of land to be omitted).

North Boundary

Random Line.

East on the S. Boundary of Sec. 31, T 6 N, R 6 E

40.00 set temp. of sec. post

80.00 set a temp. post for cor. of sec. 31 & 32

This mile over level Beech timbered land

East on the S. Boundary of Sec. 32, T 6 N, R 6 E

40.00 set temp. of sec. post

80.00 set a temp. post for cor. of sec. 32 & 33

Land the same as last noted

East on the S. Boundary of Sec. 33, T 6 N, R 6 E

40.00 set temp. of sec. post

\$4.50 a Spruce, Pine 5 ft. wide course N E

56.00 a Do 4 s s s S

74.00 same 10 s s s N

80.00 set a temp. post for cor. of sec. 34 & 33

Land flat, timbered Beech & Maple

T. 5 N., R. 6 E. I^o. Mer. Ind.

East on the S. Boundary of Sec. 34, T. 6 N., R. 6 E.
 18.00 Brushy Pond
 40.00 set temp. of sec. post
 45.00 E. side of Pond
 80.00 set a temp. post for cor. of sec. 34 & 35
 Land flat, timber Beech & Maple

East on the S. Boundary of Sec. 35, T. 6 N., R. 6 E.
 20.00 a Brook 100 ft. wide cross S
 25.00 same s course NE
 31.50 same , , S E
 36.50 same , , N E
^{39.00} same " , , S
 40.00 set temp. of sec. post
 80.00 set a temp. post for cor. of sec. 35 & 36
 Land flat

East on the S. Boundary of Sec. 36, T. 6 N., R. 6 E.
 40.00 set temp. of sec. post
 55.00 a Brushy Pond 20 ft. wide
 78.00 Intersect E. Boundary at 60 ft. N. of Town. corner
 Land flat

Corrected Line.

West on the E. Boundary of Sec. 36, T. 6 N., R. 6 E.
 40.00 set of sec. post from which
 an Ironwood 10 in. diameter N 30 E 18 ft. dist. 8
 a Do 6 s s s S 40 W 23 s s
 80.00 set post cor. of sec. 35 & 36 from which
 a Beech 12 in. diameter N 40 E 12 ft. dist. 8
 an Ironw? 6 s s s S 40 W 24 s s

West on the S. Boundary of Sec. 35, T. 6 N., R. 6 E.
 40.00 set of sec. post from which

427

T. 5 N., R. 6 E. I. M. & M. Ind.

a Beech 10 in. dia. bears S 70° E 22 m. dist. 8
a Do 24 s s East 17 s s
80.00 set post cor. of sec. 34 & 35 from which
a Hickory 10 in. dia. bears N 79° W 47 m. dist. 8
an Elm - - - s N 55° W 8 s s

West on the S. Boundary of Sec. 34, T. 5 N., R. 6 E.
40.00 set of sec. post from which
a W. Ash 13 in. dia. bears N 41° E 15 m. dist. 8
a Do 10 s s S 28° W 15 s s
80.00 set post cor. of sec. 33 & 34 from which
a Gum 24 in. dia. bears N 47° W - m. dist. 8
a Do 30 s s S 50° E 10 s s

West on the S. Boundary of Sec. 33, T. 5 N., R. 6 E.
40.00 set of sec. post from which
a Maple 20 in. dia. bears N 18° E 15 m. dist. 8
a Do 12 s s S 18° W 38 s s
80.00 set post cor. of sec. 32 & 33 from which
a Beech 10 in. dia. bears N 08° E 24 m. dist. 8
a Do 11 s s N 88° W 93 s s

West on the S. Boundary of Sec. 32, T. 5 N., R. 6 E.
40.00 set of sec. post from which
a W. Oak 24 in. dia. bears S 55° E 3 m. dist. 8
an Elm 10 s s N 32° E 17 s s
80.00 set post cor. of sec. 31 & 32 from which
a W. Oak 14 in. dia. bears S 56° W 6 m. dist. 8
a Gum 12 s s N 8° E 18 s s

West on the S. Boundary of Sec. 31, T. 5 N., R. 6 E.
40.00 set of sec. post from which
a Beech 12 in. dia. bears S 52° W 4 m. dist. 8

T. 5 N., R. 6 E. I. Mer. Ind.^a

a Poplar 40 in. dia bears N 52° E 18 ft. - dist.
78.00 to Township corner. October 16, 1806

West Boundary.

North on the E. Boundary of Sec. 36, T. 5 N., R. 6 E
38.00 a Sugar 10 in. dia.

40.00 set grsec. post from which

a Sugar 20 in. dia bears N 88° W 9 ft. - dist. 8
a Beech 8 s s s S 25° E 23 " "

67.40 a Do 8 s s

80.00 set post cor. of sec. 25 & 36 from which

a Sugar 15 in. dia bears N 69° E 44 ft. - dist. 8

a Poplar 50 s s s S 69° W 2 " "

This mile over good farming land, timber
Beech, Oaks Hickory

North on the E. Boundary of Sec. 35, T. 5 N., R. 6 E
19.50 a Beech 20 in. dia.

40.00 set grsec. post from which

a Beech 28 in. dia bears S 23° E 20 ft. - dist. 8

a Do 10 s s s N 23° W 8 " "

80.00 set post cor. of sec. 24 & 25 from which

a Poplar 24 in. dia bears S 5° E 58 ft. - dist. 8

a Beech 8 s s s N 50° W 13 " "

Land the same as last noted

North on the E. Boundary of Sec. 24, T. 5 N., R. 6 E

40.00 set grsec. post from which

a Beech 20 in. dia bears S 15° W 38 ft. - dist. 8

a Do 6 s s s N 19° E 6 " "

80.00 set post cor. of sec. 13 & 24 from which

a Beech 10 in. dia. bears S 4° E 19 ft. - dist. 8

a Do 7 s s s N 73° W 28 " "

T. 5 N., R. 6 E. I. D. Mer. Ind.

This mile level Beech timbered land, Under
brush spruce

North on the E. Boundary of Sec. 13, T. 5 N., R. 6 E.
30.00 a Beech 30 in. dia.

40.00 set of sec. posts from which
a Beech 6 in. dia bears S 73° E 11 m. dist. 8
a Hickory 7 " " N 52° W 5 "

70.00 a Spring course, " "

80.00 set post on. of sec. 12 & 13 from which
a Beech 10 in. dia bears S 12° W 12 m. dist. 8
a Do 20 " " N 61° W 11 "

Land the same as last noted

North on the E. Boundary of Sec. 12, T. 5 N., R. 6 E.
28.80 a Beech 38 in. dia.

40.00 set of sec. posts from which
a Poplar 40 in. dia bears S 20° W 17 m. dist. 8
a Beech 10 " " N 20° E 22 "

50.40 a W. Ash 30 " "

80.00 set post on. of sec. 1 & 12 from which
a W. Oak 20 in. dia bears S 1° W 50 m. dist. 8
a Do 20 " " N 74° - 27 " "

Land the same as last noted

North on the E. Boundary of Sec. 1, T. 5 N., R. 6 E.
6.30 a W. Oak 20 in. dia.

40.00 set of sec. posts from which
a Gum 30 in. dia bears N 44° W 4 m. dist. 8
a W. Oak 10 " " N 12° E 8 "

80.00 set post on. of T. 5 N., R. 6 E. from which
a W. Oak 10 in. dia bears S 48° W 3 m. dist. 8
a Beech 24 " " N 25° E 14 "

T. 5 N., R. 6 E.D. I. Mer. Ind.

Sand the same as last noted.
Surveyed in 1806 by Arthur Henrie
Dep. Surveyor.

Subdivision.

North between Sect. 35 & 36, T. 5 N., R. 6 E.
5.02 ac Elm 16 in. dia.
20.00 a Branch 20 lbs. wide course NW
40.00 lot q.s.e. part from which
a Beech 19 in. dia bears N 22 E 11 lbs. dist. 8,
a Do 10 s s s S 22 E 19 s s
67.50 a Branch 25 lbs. wide course S 40 W
74.75 a Do 10 s s s W
80.00 lot part cor. of Sect. 25, 26, 35 & 36 from which
a Beech 15 in. dia bears N 00 E 17 lbs. dist. 8
a Do 12 s s s N 78 W 31 s s
Low ridge, Beech, Poplar & Ash

East or Random between Sect. 25 & 36
5.00 a Branch 10 lbs. wide course S
10.50 a Do 15 s s s S
40.00 lot temp. q.s.e. part
40.30 a Branch 12 lbs. wide course S
48.00 a Branch 25 lbs. wide course S
77.00 intersect E. Boundary 75 lbs. N. of part -
Sycamore, Beech, Ash & Poplar

West connected between Sect. 25 & 36
38.50 lot q.s.e. part at aver. dist. from which
a Beech 10 in. dia bears S 71 W 12 lbs. dist. 8
a Do 13 s s s N 26 E 43 s s
77.00 to sec. cor.

North between Sect. 34 & 35

S. 5 N., R. 6 E. S. Mer. Ind.

- 15.00 wet Bottom, Maple
 2.75 a Branch 10 ft. wide course S 40° W
 15.80 a Beech 18 in. dia.
 30.50 a Branch 6 ft. wide course E
 40.00 lot q.s.e. part from which
 a Beech 16 in. dia bears S 73° E 26 ft. dist. 8
 a Sycamore 13 " " " 985 1/2 W 23 " "
 80.00 lot part cor. of sec. 26, 27, 34 & 35 from which
 a Beech 13 in. dia bears N 40° E 20 ft. dist. 8
 a Sycamore 13 " " " N 45° W 21 " "
 Low ridges, good Plough land, Beets, Poplars,
 Ash & Walnuts

East or Random between Sec. 26 & 35

- 34.38 a Branch 6 ft. wide course S
 40.00 lot temp. q.s.e. part
 67.50 a Branch 10 ft. wide course S
 78.50 Intersect N.E. line 30 ft. N. of part
 Low ridges, Beets, Poplar & Ash, good Plough land

West connected between Sec. 26 & 35

- 39.25 lot q.s.e. part at aver. dist. from which
 a Beech 12 in. dia bears N 33° W 6 ft. dist. 8
 a Poplar 10 " " " South 35 " "
 78.50 to sec. cor.

North between Sec. 35 & 26

- 6.50 a Branch 10 ft. wide course S 40° E
 40.00 lot q.s.e. part from which
 a Hickory 10 in. dia bears N 34° W 10 ft. dist. 8
 a Beech 20 " " " S 28° E 15 " "
 80.00 lot part cor. of sec. 23, 24, 25 & 26 from which
 a W. Oak 18 in. dia bears S 66° E 19 ft. dist. 8

T. 5 N., R. 6 E. I. Mer. Ind.

a Beech 10 in. dia bears N 42° W 41 ft. dist.
Good level land, Beeds, Poplar, Ash & Oak
some Sugar

North between Sec. 33 & 34

22.00 36.00 through Swamp. This Swamp I
traversed by an offset of 10.00 to the E.
04.42 a Beech 22 in. dia.

72.12 a Branch 4 Ms. wide course S 20° W
80.00 set post cor. of Sec. 27, 28, 33 & 34 from which
a Beech 13 in. dia bears N 27° E 29 Ms. dist. 8
a Dr 12 " " " S 60° W 30 " "
Land, except Swamp, good for the Plough,
Poplar & Beech. November 16, 1806

East on Random between Sec. 27 & 34

0.75 a Branch 5 Ms. wide course S
26.38 a Dr 6 " " " S
40.00 set temp. of sec. post
47.00 a Branch 20 Ms. wide course S
69.00 a Dr 6 " " " S 50° W
80.30 intersected N. S. line at post -
Low ridges, Walnut, Poplar, Ash & Oak

West bounded between Sec. 27 & 34

40.15 set of sec. post at aver. dist. from which
a Walnut 22 in. dia bears N 57° E 4 Ms. dist. 8
a Sugar 10 " " " S 11° W 21 " "
80.30 to sec. cor.

North between Sec. 26 & 27

40.00 set of sec. post from which
a Beech 14 in. dia bears S 34° W 12 Ms. dist. 8

7.5 N., R. 6 E. 2^o Mer. Ind.^a

- a Beech 14 in. dia. bears N 89° E 27' th. dist.
- 46.50 a Branch 10 in. wide course NW
- 57.70 a Beech 30 in. dia.
- 65.00 a Branch 6 in. wide course NW
- 80.00 set post cor. of sec. 22, 23, 26 & 27 from which
an Ash 12 in. dia bears S 21° W 10 th. dist. 8
a Beech 30 " " " N 5° E 44" "
Low ridge, Beech, Poplar, Ash & Oak

North between Sec. 32 & 33

- 40.00 set post cor. post from which
a Beech 16 in. dia bears S 51° W 21 th. dist. 8
an Elm 12 " " " S 21° W 23 " "
61.00 a Creek 200 ft. wide course S 30° W
76.50 a Branch 20 ft. wide course S 50° E
80.00 set post cor. of sec. 28, 29, 32 & 33 from which
a Yucca 36 in. dia bears N 57° E 20 th. dist. 8
an Ash 32 " " " S 47° W 40 " "
Bottom, Elm, Ash, Gum & Beech

East on Random between Sec. 28 & 33

- 23.50 Bend of creek, course S
- 26.00 a Drain course S
- 40.00 set temp. post in creek
- 40.25 Creek 200 ft. wide course S
- 47.00 a Pond
- 58.00 a Drain course N
- 65.00 Upland
- 80.00 Intersect N & S. line at post -
Beech, Poplar, Maple & Elm

West Blazed between Sec. 28 & 33
(Notes omitted)

S. 5 N., R. 6 E. 2^o Mer. Ind.^a

North between Sec. 27 & 28

35.00 a Branch 5 Ms. wide course N 40° W

40.00 set q'sec. post from which

a Beech 24 in. dia. bears S 55° W 19 Ms. dist. 8

an Ash 14 " " " S 67° E 20 " "

53.75 a Branch 10 Ms. wide course W

58.75 a Beech 16 in. dia.

60.00 Bottom to the mile post

80.00 set post cor. of Sec. 21, 22, 27 & 28 from which

a Gum 38 in. dia. bears S 44° W 13 Ms. dist. 8

a W. Beech 12 " " " S 80° E 39 " "

Beech, Poplar, Gum & Oak. Spice bush

North between Sec. 31 & 32

36.50 a P. Oak 36 in. dia.

40.00 set q'sec. post from which

a Beech 16 in. dia. bears S 46° E 30 Ms. dist. 8

a Do 10 " " " N 27° W 6 " "

52.01 a Poplar 30 " "

80.00 set post cor. of Sec. 29, 30, 31 & 32 from which

an Elm 18 in. dia. bears N 23° E 34 Ms. dist. 8

a Sugar 11 " " " N 57° E 31 " "

The sec. post stands in a Branch 12 Ms. wide course E

Beech, Poplar & Ash. Good Plough land

East on Random between Sec. 30 & 32

7.75 a Branch 30 Ms. wide course S 30° E

40.00 set temp. q'sec. post

75.12 a Branch 20 Ms. wide course S 60° E

78.30 Intersect N & S. line 10 Ms. S. of post -

Level, Beech, Poplar & Ash. Good Plough land

West branch between Sec. 29 & 32

T.5 N., R. 6 E. Miller, Ind. a

39.15 set of sec. post at aver. dist. from which
a Beech 12 in. dia. has N75°W100 ft. dist. 8
a No 8 s s S33°E22 s s
78.30 to sec. cor.

North between Sec. 28 & 29

7.75 an Elm 36 in. dia.
37.50 Swamp
40.00 grsec. post in Swamp
65.00 N. side of Swamp, but wet land to the sec. post
80.00 set post on. of sec. 20, 21, 28 & 29 from which
an Elm 18 in. dia. has N48°W180 ft. dist. 8
a No 10 s s S82°E25 s s
Maple, Ash, Elm, Gum & Oak
November 17. 1806

West between Sec. 30 & 31

10.38 a Branch 10 ft. wide course N70°E
32.25 a Beech 18 in. dia.
40.00 set of sec. post from which
a Beech 30 in. dia. has N79°W210 ft. dist. 8
a Poplar 34 s s S45°E12 s s
68.60 a Beech 30 s s
75.75 Intersect W. Boundary 56 ft. N. of post—
set post at intersection cor. of sec. 30 & 31 from which
a Beech 22 in. dia. has S61°E210 ft. dist. 8
a No 10 s s N53°E20 s s
Low ridges, Beech, Poplar, Ash, Sugar & Oak

North between Sec. 29 & 30

11.50 a Beech 30 in. dia.
40.00 set of sec. post from which
a W. Oak 12 in. dia. has S25°E60 ft. dist. 8

T. 5 N., R. 6 E. 2^d Mer. Ind.^a

- a W. Oak 20 in. dia bears S 84° E 19 m. dist.
 74.50 a Branch 3 lbs. wide course E
 80.00 set post cor. of sec. 19, 20, 29 & 30 from which
 a Beech 18 in. dia bears N 40° W 29 lbs. dist. 8
 a Do 16 " " " N 50° E 39 " "
 Larch, Beech, Oak & Poplar
-

East on Random between Sec. 20 & 29

- 10.75 Swamp to the mile post
 40.00 set temp. gser. post
 79.80 Intersect N 45° line 35 m. S. of post -
 Oak, Beech, Poplar to the Swamp - Maple, Elm,
 Oak & Ash brush
-

West blazed between Sec. 20 & 29

- 39.92 set gser. post at aver. dist. from which
 a Maple 13 in. dia bears N 5° E 6 m. dist. 8
 a Do 14 " " " S 20° W 12 " "
 79.80 to sec. cor.
-

East on Random between Sec. 21 & 28

- 40.00 set temp. gser. post
 65.05 a creek 200 ft. wide course S
 79.90 Intersect N 45° line at post -
 All Bottom, Elm, Maple, Ash & Beech
-

West blazed between Sec. 21 & 28

- 39.95 set gser. post at aver. dist. from which
 a Beech 14 in. dia bears S 3° E 21 m. dist. 8
 a Do 18 " " " N 2° E 19 " "
 79.90 to sec. cor.
-

East on Random between Sec. 22 & 27

437

T.5 N., R. 6 E. I. Mer. Ind.^a

5.23 a Branch 7 ft. wide course S30°W
40.00 set temp. qsec. post
65.88 a Branch 15 ft. wide course N
80.00 intersect N. S. line at post -
Low ridges, Beech, Poplar, Ash & Oak

West blazed between Sec. 32 & 37
40.00 set qsec. post at ave. dist. from which
a Beech 18 in. diameter S15°E 10 ft. dist. S
a Poplar 18 " " " N35°W 31 " "
80.00 to sec. cor.

East on Random between Sec. 23 & 26
40.00 set temp. qsec. post
79.00 intersect N. S. line 88 ft. S. of post -
Low ridges, Beech, Poplar, Hickory, Ash & Elm
Rich land

West blazed between Sec. 23 & 26
39.50 set qsec. post at ave. dist. from which
a Hickory 18 in. diameter N35°W 6 ft. dist. S
a Beech 7 " " " S65°E 20 " "
79.00 to sec. cor. November 18, 1806

East on Random between Sec. 24 & 25
40.00 set temp. qsec. post
63.25 a Branch 10 ft. wide course S30°W
72.50 a Do 6 " " " " "
76.30 intersect E. Boundary 13 ft. N. of post -
Level, Beech, Oak, Poplar, Gum & Ash

West blazed between Sec. 24 & 25
38.15 set qsec. post at ave. dist. from which

T. 5 N., R. 6 E. I. Mer. Ind.

a W. Oak 18 in. dia. leas N 57° W 8 ft. dist. 8
 a Beech 10 " " " S 83° W 15 " "
 76.30 to sec. cor.

North between Sec. 23 & 24

33.75 a Branch 12 ft. wide course NW
 40.00 lot q. sec. port from which
 a Beech 18 in. dia. leas S 25° E 7 ft. dist. 8
 a Do 10 " " " N 73° E 9 ft. 12 " "
 43.25 a Branch 12 ft. wide course NW
 80.00 lot port cor. of Sec. 13, 14, 23 & 24 from which
 a Beech 12 in. dia. leas N 74° E 3 ft. dist. 8
 a Do 12 " " " S 45° W 15 " "
 Low ridges, Beech, Hickory & Ash

North between Sec. 22 & 23

8.00 a Walnut 18 in. dia.
 24.00 a Branch 12 ft. wide course S 40° W
 40.00 lot q. sec. port from which
 a Beech 32 in. dia. leas N 74° E 15 ft. dist. 8
 a Sugar 16 " " " S 85° W 12 " "
 74.38 a Poplar 48 " "
 80.00 lot port cor. of Sec. 14, 15, 22 & 23 from which
 a Beech 14 in. dia. leas S 32° E 5 ft. dist. 8
 a Poplar 8 " " " S 82° W 3 " "
 Low ridges, Beech, Poplar, Ash & Walnut -
 Spice brush - Good for the plough

North between Sec. 21 & 22

24.00 a Sycamore 36 in. dia.
 35.50 a Branch 12 ft. wide course NW
 40.00 lot q. sec. port from which
 a Beech - in. dia. leas N 53° E 38 ft. dist. 8

T.5 N., R. 6 E. P.M. Ind.

an Elm 10 in. dia. bears S 42° W 24 m. dist.

- 43.50 a Creek 200 ft. wide curve ~~N 16° 50' 90'~~ S 60° W
Offset East 5.00 - N 16.50, W 5.00
to the true line S. 1.50 to the Creek
80.00 set post cor. of sec. 15, 16, 20 & 21 from which
a Hickory 8 in. dia. bears S 40° E 13 m. dist. 8
a Do 11 " " " N 84° W 14 " "
Bottom, Oak, Hickory, Elm & Beech
-

North between Sec. 20 & 21

12.12 an Elm 16 in. dia.

- 40.00 set post part from which
a Maple 22 in. dia. bears N 67° W 33 m. dist. 8
a Do 18 " " " N 33° E 44 " "
56.25 an Elm 36 " "
80.00 set post cor. of sec. 16, 17, 20 & 21 from which
a Maple 13 in. dia. bears N 44° E 15 m. dist. 8
a Do 18 " " " S 41° E 47 " "
All Bottom wet, Maple, Maple, Ash, Gum, Elm
& Beech
-

West between Sec. 19 & 30

36.50 level Beech land

- 6.00 a Branch 6 ft. wide curve S
28.80 a W. Oak 18 in. dia.
40.00 set post part from which
a Beech 13 in. dia. bears S 86° W 19 m. dist. 8
a Do 12 " " " S 80° E 31 " "
65.12 a Do 22 " "
74.00 intersect W. Boundary 225 ft. S. of post -
set post at intersection cor. of sec. 19 & 30 from which
a Beech 14 in. dia. bears S 87° 1/2 E 12 m. dist. 8
a Do 12 " " " N 69° W 8 " "

T.5 N., R. 6 E. 2^o Mer. Ind.^a

Level land Beech, Maple, Elm, Ash & Oak -
in rising land Beech, Poplar & Ash. Rich land

North between Sec. 19 & 20

26.50 a Chestnut 33 in. dia.

40.00 set post from which

a Beech 13 in. dia bears S 62° W 15 m. dist. 8

a Do 10 " " " N 20° E 11 " "

54.00 a Maple 18 in. dia.

80.00 set post on. of Sec. 14, 18, 19 & 20 from which

a Beech 24 in. dia bears S 70° W 8 m. dist. 8

a Maple 14 " " " N 18° E 37 " "

Level, Oak, Beech, Maple, Ash & Chestnut

November 19. 1806

West between Sec. 18 & 19

31.55 a Poplar 40 in. dia.

40.00 set post from which

a Beech 20 in. dia bears N 20° E 26 m. dist. 8

a Do 7 " " " S 45° W 16 " "

58.25 a Branch 12 in. wide course N

66.75 a Poplar 18 in. dia.

75.12 Intersect W. Boundary 26 m. S. of post -

set post at intersection on. of Sec. 18 & 19 from which

an Elm 13 in. dia bears S 63° E 9 m. dist. 8

a Beech 12 " " " N 9° E 9 " "

Low ridges, Oak, Poplar, Beech & Chestnut

East on Random between Sec. 17 & 20

18.50 31.50 fallen timber

40.00 set temp. of sec. post

42.50 a Branch 5 in. wide course N

50.00 same " course S 60° E

T.5 N., R. 6 E. 2^d. Mer. Ind.^a

78.00 wet Bottom to port

80.00 Intersect N & S. line at port -

Lead, Oak, Beech, Poplar Hickory. Good Plough
land

Connected line omitted. See page 454

East on Random between Sec. 16d 21

10.88 Pond 75

40.00 set temp. q. sec. port

42.00 Pond 75

67.00 a creek 200 ft. wide comes S

78.50 a Pond 200

80.00 Intersect N & S. line at port -

All Bottom, Poplar, Beech, Ash & Maple

West blazed between Sec. 16d 21

40.00 set q. sec. port at aver. dist. from whil.

a Beech 13 in. dia. has N 23° 47' 30 ft. dist. 8

a Do 12, " " " 83° 47' 30 " "

80.00 to sec. cor.

East on Random between Sec. 15d 22

2.25 Pond 200

31.50 Do 300

40.00 set temp. q. sec. port

80.00 Intersect N & S. line 75 ft. N. of port -

Bottom generally wet, Maples, Ash, Gum,
Elm, Hickory & Beech

West blazed between Sec. 15d 22

40.00 set q. sec. port at aver. dist. from whil.

a Ash 7 in. dia. has S 85° 68' W. dist. 8

a Do 16, " " " N 33° 03' 4 " "

80.00 to sec. cor.

442

T. 5 N., R. 6 E. 2^o Mer. Ind.

East on Random between Sec. 14 & 23

7.75 a Branch 4 in. wide comes N

40.00 set temp. q. sec. port

41.00 a Branch 12 in. wide comes N

77.00 a Do 10 " " " G

---- Whole distance omitted

Low ridges, Beech, Ash, Poplar, Oak, Grapetree

West bounded between Sec. 14 & 23

-- set q. sec. port at aver. dist. from which
a Beech 14 in. dia. diam. \$189 ms. dist. &
an Ash 20 " " 343 ms. dist. &
---- to sec. cor.

East on Random between Sec. 13 & 24

16.25 a Branch comes N

39.12 a Do " 550 ms

40.00 set temp. q. sec. port

76.33 Intersect E. Boundary 30 in. E. of port -
Larch, Beech, Ash, Poplar & Oak

West bounded between Sec. 13 & 24

38.16^{1/2} set q. sec. port at aver. dist. from which
a W. Oak 18 in. dia. diam. \$564 ms. dist. &
a Beech 10 " " 176 ms. dist. &

76.33 to sec. cor.

North between Sec. 13 & 14

38.88 a W. Oak 22 in. dia.

40.00 set q. sec. port from which

a Beech 18 in. dia. diam. \$354 ms. dist. &

a W. Oak 30 " " 147 ms. dist. &

45.00 6.50 fallen timber

443

T. 5 N., R. 6 E. I^o. Mer. Ind.^a

63.45 a Beech 23 in. dia.

80.00 set post cor. of sec. 11, 12, 13 & 14 from which
a Beech 30 in. dia leans N 30 E 10 lbs. dist. 8

a Do 21 " " " N 45 W 34 " "

Level, Beech, Poplar & Oak. November 20, 1806

North between Sec. 14 & 15

32.50 fallen timber 7.50

40.00 set of sec. post from which

a Beech 12 in. dia leans N 29 E 5 lbs. dist. 8

a Do 10 " " " S 41 W 27 " "

43.75 a Branch 20 lbs. wide course NW

51.50 a Beech 30 in. dia.

62.50 Maple Swamps to the post

80.00 set post cor. of sec. 10, 11, 14 & 15 from which

a Beech 13 in. dia leans S 57 1/2 E 9 lbs. dist. 8

an Ash 10 " " " N 36 1/2 W 33 " "

Beech, Poplar, Ash, Maple, Elm & Gum

North between Sec. 15 & 16

4.00 a Pond 250

11.02 a W. Oak 46 in. dia.

18.00 a Bayou 225 lbs. wide course S 50 W

27.00 a Do 250 " " " N 50 E

33.25 a Pond 60 E

40.00 set of sec. post from which

a Gum 14 in. dia leans N 78 E 16 lbs. dist. 8

a Beech 16 " " " S 37 1/2 W 29 " "

54.25 a Creek 200 lbs. wide course S 50 W

Offset East 4.00, North 5.00, West 4.00
to the true line on the bank of the Creek \$30 E

79.00 a Creek 200 lbs. wide course S 50 W

80.00 cor. of sec. 9, 10, 15 & 16 in the Creek

444

T. 5 N., R. 6 E. 2^o Mer. Ind.

Bottom, Beech, Poplar & Oak

North between Sec. 10 & 17

- 4.00 wet Bottom
5.00 fallen timber 6.00
40.00 set of sec. port from which
a W. Oak 12 in. diameter \$54 9W 10 ft. dist. 8
a Sassafras 7, " " " N 15 9W 6 " "
40.25 a Branch 8 in. wide across E
24.25 a B. Oak 32 in. dia.
80.00 set port cor. of Sec. 8, 9, 10 & 17 from which
a Beech 12 in. diameter \$39 9W 25 ft. dist. 8
a Do 14, " " " \$14 8 17, " "
B. W. Oak, Beech, & Poplar, some Chestnut
good level Plough land

North between Sec. 17 & 18

- 36.88 a Branch 5 in. wide across E
40.00 set of sec. port from which
a Beech 12 in. diameter N 63 E 7 ft. dist. 8
a Do 10, " " " N 48 9W 26, " "
55.50 a Branch 19 in. wide across E
67.00 a Hickory 18 in. dia.
80.00 set port cor. of sec. 7, 8, 17 & 18 from which
a Beech 15 in. diameter \$89 E 25 ft. dist. 8
a Do 13, " " " \$95 9W 50, " "
Low ridges, Beech, Poplar, Oak, Hickory & Ash

West between Sec. 7 & 18

- 28.25 a Sugar 16 in. dia.
40.00 set of sec. port from which
a Beech 10 in. diameter \$60 E 16 ft. dist. 8
a Do 16, " " " N 59 E 25, " "

T. 5 N., R. 6 E. I. Mer. Ind.^a

59.00 a Branch 300 ft. wide course S. 50 W.

74.00 Intersect N.W. Boundary 440 ft. N. of post -

Set post at intersection cor. of sec. 7 & 18 from which
a Beech 12 in. dia. bears N 20 E 33 ft. dist. 8

a 110 6 s s S 34 E 34 s s

Low ridges, good land, Beech, Poplar, Oak,
Sugar & Hickory

East on Random between Sec. 8 & 17

40.00 Set temp. of sec. post

80.00 Intersect N.E. line 25 ft. N. of post -

Low ridges, rich land, Beech, Poplar, Oak,
Ash & Walnut

West bounded between Sec. 8 & 17

40.00 Set g. sec. post at aver. dist. from which
an Ash 18 in. dia. bears N 45 E 19 ft. dist. 8
a Beech 10 s s S 43 W 15 s s

80.00 to sec. cor.

East on Random between Sec. 9 & 16

20.00 Bottom to the mile post

40.00 Set temp. of sec. post

44.50 Pond 100 ft

79.00 a Creek 200 ft. wide course S. 30 W.

80.00 Intersect N.E. line in Creek

West bounded between Sec. 9 & 16

40.00 Set g. sec. post at aver. dist. from which

a Beech 21 in. dia. bears N 85 E 27 ft. dist. 8

a W. Oak 30 s s S 17 W 15 s s

80.00 to sec. cor.

Oak, Beech, Poplar, some Chestnut & Ash

T. 5 N., R. 6 E. 2^d Mer. Ind.

East on Random between Sec. 10 & 15

30.00 a Pond 150' N 60° W

40.00 set temp. of sec. post

80.00 Intersect N. S. line at post -

Bottom, part wet, Maple, Ash, Elm, Beech & Gum

West blazed between Sec. 10 & 15

40.00 set of sec. post at aver. dist. from which
a Beech 13 in. diameter S 29° 11' E. dist. 8'

a Do 13 " " " N 69° 41' " "

80.00 to sec. cor. November 21. 1806

East on Random between Sec. 11 & 14

17.00 wet Bottom

39.00 a Branch 12 in. wide course N 50° W

40.00 set temp. of sec. post

44.50 a Branch 6 in. wide course S 60° W

77.50 Intersect N. S. line 75 ft. S. of post -

Low ridge, Beech, Oak, Poplar & Elm

West corrected between Sec. 11 & 14

38.75 set gres. post at aver. dist. from which
a Beech 10 in. diameter N 59° 23' W. dist. 8'

an Elm 12 " " " S 53° 21' " "

77.50 to sec. cor.

East on Random between Sec. 12 & 13

40.00 set temp. of sec. post

77.50 Intersect E. Boundary 312 ft. N. of post -

Secd, Beech, Oak, Poplar, Ash, Maple & Gum

West Corrected between Sec. 12 & 13

38.75 set g. sec. post at aver. dist. from which

S. 5 N., R. 6 E. L. Mer. Ind.^a

a W. Oak 22 in. diameter N 65° E 13 m. dist. 8
 a Beech 10 " " " S 57° E 13 " " "
 77.50 to sec. cor.

North between Sect. 11 & 12

28.25 a Beech 23 in. dia.

40.00 set q.s.e. part at ave. dist. from which
 a Beech 22 in. diameter S 41° E 18 m. dist. 8
 a Do 8 " " " N 58° W 28 " "

54.62 a Do 22 " "

80.00 set part cor. of Sect. 12, 11 & 12 from which
 a Beech 8 in. diameter N 79° E 44 m. dist. 8
 a Do 13 " " " S 12° W 14 " "

Low ridges & level, Beech, Poplar & Oak

North between Sect. 10 & 11

40.00 set q.s.e. part from which
 a Beech 16 in. diameter S 37° E 8 m. dist. 8
 a Do 30 " " " S 59° W 37 " "

56.00 a Poplar 24 " "

80.00 set part cor. of Sect. 2, 3, 10 & 11 from which
 a Beech 18 in. diameter N 56° W 24 m. dist. 8
 a Do 24 " " " S 83° E 25 " "
 (Description of land &c omitted)

North between Sect. 9 & 10

44.00 a Ginkgo same S 60° E

12.00 a Do " " S 70° W

15.88 a Do " " S 50° E

28.12 same " " W

34.20 same " " E

40.00 set q.s.e. part from which
 a Walnut 20 in. diameter S 65° E 19 m. dist. 8

S. 5 N., R. 6 E. I^o Mer. Ind.^a

an Elm 14 in. dia bears S179W34 Ms. dist.,
the q. sec. part stands on the bank of creek course
S359W

80.00 lot port cor. of sec. 4, 3, 9 & 10 from which
a Maple 13 in. dia bears N419W17 Ms. dist. 8,
a Dr 14, s, s N45E10 s, s
Bottom, Maple, Beech, Walnut, Ash & Elm

North between Sec. 8 & 9

6.45 a Beech 16 in. dia.

12.75 a Branch 10 Ms. wide course S44E

40.00 lot q. sec. part from which
a Maple 16 in. dia bears N659W24 Ms. dist. 8,
a Gum 18, s, s S74E09 s, s

52.50 Hebeys trace

56.50 a Branch 10 Ms. wide course E

67.62 a Beech 30 in. dia.

80.00 lot port cor. of sec. 4, 5, 8 & 9 from which
a Hickory 8 in. dia bears N309W13 Ms. dist. 8,
a Beech 23, s, s S8E25 s, s
Level, Beech, Poplar, Oak & Hickory

North between Sec. 7 & 8

27.75 a Beech 18 in. dia.

40.00 lot q. sec. part from which

a Beech 10 in. dia bears N45E11 Ms. dist. 8,

a Poplar 33, s, s S459W27, s, s

75.88 a Beech 36, s, s

80.00 lot port cor. of sec. 5, 6, 7 & 8 from which
an Ash 33 in. dia bears N689W18 Ms. dist. 8,

a Beech 14, s, s, S33E37, s, s

Low ridges, rich land, Beech, Poplar, Walnut,
Ash & Oak

5.5 N., R. 6 E. L. M. Ind.^a

West between Sec. 6 & 7

10.75 a Poplar 36 in. dia.

40.00 set of sec. post from which

a Beech 14 in. dia bears N 45° E 6 m. dist. 8

a Do 12 " " S 21° E 13 " "

62.88 a W. Oak 18 " "

73.12 Intersect N. Boundary 118 m. N. of post -

set post at intersection cr. of Sec. 6 & 7 from which

a W. Oak 18 in. dia bears N 50° E 11 m. dist. 8

a Do 15 " " S 19° W 9 " "

Level, Beech, Oak, Poplar, Maple & Hickory

November 22, 1806

North between Sec. 5 & 6

32.12 a Gum 18 in. dia.

40.00 set of sec. post from which

a Beech 13 in. dia bears S 39° E 11 m. dist. 8

a W. Oak 20 " " S 17° W 37 " "

77.25 Intersect N. Boundary 440.5 m. N. of post -

set post at intersection cr. of Sec. 5 & 6 from which

a gum 10 in. dia bears S 60° W 9 m. dist. 8

a Hickory 8 " " S 65° E 20 " "

Level, Beech, Oak, Gum, Poplar & Hickory,

some Ash

East on Random between Sec. 5 & 8

40.00 set temp. of sec. post

52.00 a Branch 6 m. wide course N

80.00 Intersect N. Y. line at post

Level, Beech, Walnut, Poplar, Oak & Ash

West connected between Sec. 5 & 8

40.00 set of sec. post at aver. dist. from which

T.5 N., R. 6 E. S. M. Ind.^a

an Ash 16 in. diameter \$347.15 per ms. dist. 8
 a Beech 12 " " " \$57.019 " " "
 80.00 to sec. cor.

East on Random between Sec. 14 & 9

15.00 Keebey's trace
 40.00 set temp. of sec. part
 55.00 Bottom to the mile post
 69.50 a Branch 20 ms. wide course S
 79.50 intersect N.Y. line 60 ms. S. of post -
 Beech, Poplar, Ash Oak on the upland,
 Maple, Elm & Ash in the bottom

West bounded between Sec. 4 & 9

39.75 set of sec. part at aver. dist. from which
 a Beech 7 in. diameter \$284.16 per ms. dist. 8
 a Dr 12 " " " 144.025 " " "
 79.50 to sec. cor.

East on Random between Sec. 3 & 10

39.00 a Creek 200 ms. wide course S
 40.00 set temp. of sec. part
 80.00 intersect N.Y. line 70 ms. S. of post -
 Bottom, Maple, Elm & Ash

West bounded between Sec. 3 & 10

40.00 set of sec. part at aver. dist. from which
 a Sycamore 30 in. diameter \$83.048 per ms. dist. 8
 no other bearing tree
 80.00 to sec. cor.

Bottom on Random between Sec. 2 & 11

17.00 wet Bottom

S. 5 N., R. 6 E. S. Mer. Ind.^a

- 12.50 a Pond 50 S 30 W
 40.00 set temp. of sec. port
 77.50 Interest N. S. line 6 m. S. of port -
 Low ridges to the Bottom, Beech, Poplar, Oak
 & Ash - Maple, Elm, Ash & Hickory in the
 Bottom

West Cancled between Sec. 2d 11

- 38.25 set q.sec. port at ave. dist. from which
 a Beech 13 in. dia. bears S 4 E 18 m. dist. 18
 a No 6 , , , N 55 W 12 , ,
 77.50 to sec. cor.

East on Random between Sec. 1d 12

- 40.00 set temp. of sec. port in a Branch 12 m. wide
 course N 20 E
 64.75 a Branch 10 m. wide course N
 79.40 Interest ~~at~~ Boundary 338 m. N. of port -
 Low ridges, Beech, Poplar & Hickory

West Cancled between Sec. 1d 12

- 39.70 set temp. port at ave. dist. from which
 a W. Beech 14 in. dia. bears N 75 E 13 m. - dist. 18
 an Ash 20 , , , S 13 W 47 , ,
 79.40 to sec. cor.

North between Sec. 1d. 12

- 23.00 a Beech 22 in. dia.
 40.00 set q.sec. port from which
 a Sugar 12 in. dia. bears N 15 E 22 m. - dist. 18
 a Beech 12 , , , S 31 W 10 , ,
 50.00 Bottom to the creek
 67.12 Creek 200 m. wide course S 60 W

T. 5 N., R. 6 E. S. Mer. Ind.^a

79.50 Intersect N. Boundary 135 ft. W. of port -
set post at intersection cor. of sect. 1 & 2 from
which a Beech 7 in. dia. has N 39° 77' 44" W. dist. 8'
a Ss 12' s s \$25 77 14 s s
Bottom, Maples Elm, Ash & Oak

North between Sect. 2d 3

40.00 set g. sec. post from which
a Beech 10 in. dia. has N 31° E 11' W. dist. 8'
a Ss 12' s s \$78 77 37 s s

50.00 a Creek 200 ft. wide course W

80.58 Intersect N. Boundary 21 ft. W. of port -
set post at intersection cor. of sect. 2d 3 from which
a Hickory 14 in. dia. has N 38° 47' 5" W. dist. 8'
a R. Oak 12' s s \$73 80 11 s s
Wet Bottom, Maples Elm, Hickory & Ash
November 23, 1806

North between Sect. 3d 4

33.74 a R. Oak 18 in. dia.

35.00 a Swamp 10.00 \$40 97

40.00 set g. sec. post in Swamp

50.00 Upland to port

50.80 a B. Oak 22 in. dia.

81.80 Intersect N. Boundary 6 ft. W. of port -
set post at intersection cor. of sect. 3d 4 from which
a Poplar 24 in. dia. has \$19 80 27 W. dist. 8'
a Beech 15' s s \$57 80 16 s s
Level, the Bottom wet, Maple, Elm & Ash
- Beech, Maple, Oak & Ash on the Upland

North between Sect. 4d 5

20.66 a Branch 6 ft. wide course \$50 E

T. 5 N., R. 6 E. L. Mer. Ind.^a

23.70 a W. Oak 48 in. dia.

40.00 set of sec. post from which

a Beech 13 in. dia bears S 4 E 24 Ms. dist. 8

a Do 36, , , N 47 W 28, ,

51.75 an Ash 20, ,

77.62 Intersect N. Boundary 221 Ms. W. of post -
at post at intersection cor. of sec. 44.5 from which

a Beech 18 in. dia bears S 32 E 44 Ms. dist. 8

a Do 16, , , S 74 W 50, ,

Low ridges, rich land, Beech, Poplars, Oaks,
Ash & Sugar

November 24, 1806. Surveyed by

Jacob Fowler

Dep. Surveyor.

I certify that the foregoing manuscript
of Field Notes of the Survey of Township N^o. 5
North, in Range N^o. 6 East of the S. Princip-
al Meridian, in the State of Indiana, has
been compared with the original on file
in this office, and found to be correct.

Surveyor General's Office,

Cincinnati, March 25, 1842

W. P. Peirce
Treasurer.

454

Omitted on page 441

West blazed between Sec. 17 & 20

40.00 set of sec. post at aver. dist., from which
a Hickory 12 in. dia. bears N 28 E 37 m. dist. 8
a Do 6 s s N 78 E 42 s s

80.00 to sec. cor.